

COVER-K	length	cover	description	
	1m 2m	frosted	70 % transparent, more flexible	1547
		transparent	98 % transparent, more flexible	1548

*OSŁONKA - K/ABDECKUNG - K/COVER - K: bardzo latwa w montażu "na klik"/sehr einfach in der Montage (just click!) / very easy to assemble (just click!)

	Louisel		desdeda	
COVER HS	length	COVEL	description	
				1369
Y Y	1m 2m	frosted	70 % transparent, more rigid, perfectly flat	
	2111			1370
		transparent	96 % transparent, more rigid, perfectly flat	

END CAPs		
	end cap 3D	0959
	end cap 3D with hole	1451

EN Applications:

- for flexible or hard LED strips up to 10 mm wide
- Indoor: interior design, furniture (kitchen cabinets, closets, thin furniture elements), stairs, exhibitors, scenography, advertisement, hotels, work stations, (hardly accessible shaded spots)
- 45 profile: all kinds of grooves, inputs or surface edges

Product Description:

Mounting: double sided mounting tape (accessories), mounting glue

Ending element: plastic 3D end cap (accessories)

Certificate / Patent: CE, Patent rights

Advantages:

small dimensions, lightweight, easy assembly, universal application, environment friendly; 45 degree beam angel – enables the light to be directed in such a way that it does not irritate the eyes of the potential user

^{*} We reserve the right to change and modify our products.

