




PROFIL	length	surface finishing	item number
	1m { standard } 2m { standard } 2 - 6m (special order)	anodowany eloxiert anodized	IL-XTRU-3776

COVER - K	length	cover	description	item number
	1m 2m	frosted	70 % transparent, more flexible	1547
		transparent	98 % transparent, more flexible	1548

COVER HS	length	cover	description	item number
	1m 2m	frosted	70 % transparent, more rigid, perfectly flat	1369
		transparent	96 % transparent, more rigid, perfectly flat	1370

COVER - S	length	cover	description	item number
	1m 2m	transparent	Light Focusing Cover	00220

END CAPS	item number
	zaśleпка Endkappe PCV end cap PCV 1438
	zaśleпка з отворем Endkappe PCV mit Kabelausgang end cap PCV with hole 1447

Applications:

- for flexible or hard LED strips up to 10.8 mm wide
- Indoor: grooves (profile can fit slim design and thin furniture pieces, wall surfaces, drywalls)
- outdoor (IP 65 waterproof level can be achieved)

Product Description:

Mounting :	double sided mounting tape or mounting glue (accessories)
Ending Element :	plastic end cap (accessories)

Advantages:

small dimensions, profile can fit slim design and thin furniture pieces, special collar of the profile enables unaesthetic grooves to be covered,
* (groove – a specially prepared narrow space in the wall surface, drywall, stone block etc.) easy assembly, lightweight, easily release heat, environment friendly

* We reserve the right to change and modify our products.

